



MODEL RANGE 2024

BELVA

EST. 1970



EVERYTHING IN ORDER

Bella has been manufacturing practical boats already for 50 years.

The user experience has been our driving force; we believe it should be as enjoyable and convenient as possible. By following this principle strictly, Bella has established itself as a boat brand with every detail designed in every boat just the way it should be, placed according to the boater's needs. With Bella, you get everything you need but nothing you don't.

Smart choices are easy to make when all the facts are available.

MODEL RANGE 2024

Bella 620 C

Bella 640 DC

Bella 600 BR | Bella 550 BR | Bella 500 BR

Bella 600 R | Bella 550 R | Bella 485 R



DYNAMIC DRIVING PLEASURE

Bella's innovative solutions have created a range of boats with safe yet dynamic handling. All of Bella's boats have been designed to boost the skipper's confidence and improve the comfort of passengers. With a Bella, boating is fun, affordable and safe.



DIVERSE RANGE OF USES

Bella's modern boat range offers hull solutions for every preference. Whether you like to enjoy the spacious and comfortable deck solutions of a Bow-Rider or require the versatility of a pilothouse boat, Bella's range has just the boat for you.

BUILT TO LAST

Our continuous R&D work and modern production process guarantees that you get a high-quality Bella boat that will retain its value. Our experts are constantly following boat building trends everywhere in the world, working in close cooperation with designers and raw material suppliers. You can therefore rest assured that only the best raw materials and supplies have been used to make your boat. Our international purchasing network guarantees that, in addition to impeccable quality, you can enjoy a great price-quality ratio.



DETAILS TO GET HOOKED ON

The quality of a Bella emanates comfort, born out of uncompromising boat-building skill and Nordic design. Every detail has a function that improves the boat's usability and characteristics. These details have been constructed from the best materials and designed with the needs of the boat's user in mind.




BELLA 620 C

CALM BEFORE THE STORM

Bella 620 C + Mercury F115 XL EFI CT

Bella 620 C + Mercury F150 XL EFI



STANDARD EQUIPMENT

12V DC power outlet, 1 pc
Anchor / rope locker, bow
Bilge pump, manual and electric
Cabin lights
Cushions, cabin
Fender basket
Fixed fuel tank, 144 L
Hydraulic steering
Mug holders, 2 pcs
Option for chartplotter, max 31.5 cm x 18.5 cm
Rails (black) and fittings stainless, acid proof steel
Seating in cabin for 6 persons or for 4 in forward direction
Self-draining cockpit
Signal horn
Sliding roof hatch, starboard
SmartCraft multifunction display
Speed controller for trolling
Swim platform + ladder
Two sleeping berths
USB charging, 2 pcs
White hull
Windshield wiper, 2 pcs

OPTIONAL EQUIPMENT

Antifouling
Comfort floor (EVA), cabin, light grey
Comfort floor (EVA), deck, light grey
Deck washer
Double battery system (excl. batteries)
Drawer refrigerator, Waeco CD-20
Fresh water system, 10 L + tap
Heater 2 kW, diesel
Radio / Bluetooth, Black Box, 2 loudspeakers
Roof hatch, port side
Searchlight with remote control
Simrad NSX 9" + 3-in-1 + sensor bracket
Sprayhood (not with targa arch)
Stove + heat blower lid (Wallas 800t + 220)
Table for fish cleaning, aft
Targa arch with outrigger holders 2 pcs
Trim tabs

TEST REPORT

BOAT: BELLA 620 C ENGINE: 115 XL CT EFI INSTALL. HEIGHT: –

DRIVE AND PROPELLER: 14X19" ENERTIA RATIO: 2.38:1

LOAD (PERSONS): 2 AIR TEMP (C°): 14 FRESH WATER TEMP (C°): 16

RPM	Trim°	Speed (kn)	Fuel (l / h)	Fuel (l / nm)	Noise (dB)
3000	0	10,2	11,9	1,16	75
3500	0	16,1	15,8	0,98	79,5
4000	1,5	21,4	21,6	1,01	80
4500	2	25,5	24,7	0,97	81,5
5000	3	29,7	30,5	1,03	84
5500	3,5	32,1	37,8	1,18	84,5
5700	4	34,4	40,3	1,17	85

The figures in test reports are approximate.

It is possible that the propellers used in the tests are not standard propellers.

TECHNICAL SPECIFICATIONS

Length.....	6,35 m
Beam	2,34 m
Weight	1 100 kg + engine
Fuel capacity	144 L
Fresh water capacity	10 L *
Draught.....	0,45 m
Engine options.....	115–150 hp
Berths.....	2
Max persons.....	7
CE class	C

*) Optional. The photographs may include optional accessories.


We reserve the right to make changes without prior notice.



BELLA 640 DC

THE CRUISE IN CONTROL

Bella 640 DC + Mercury F115 XL EFI CT
Bella 640 DC + Mercury F150 XL EFI



STANDARD EQUIPMENT

12V DC power outlets, 2 pcs
Anchor / rope locker, bow and aft
Bilge pump, electric
Cockpit cover for harbour use
Cushions, complete set
Deck hatch
Extra swim platforms + swim ladder
Fender basket, 3 pcs
Fire extinguisher
Fixed fuel tank, 135 L
Hydraulic steering
Mug holders, 2 pcs
Navigation lights
Offshore seat for driver
Option for chartplotter, 40 cm x 23 cm
Rails and fittings stainless, acid proof steel
Self-draining cockpit
SmartCraft multifunction display
Speed controller for trolling
Storage compartment under deck: 130 cm x 75 cm x 35 cm
Sunbed, aft, incl. cushion
USB charging, 3 pcs
Windshield wiper, starboard

OPTIONAL EQUIPMENT

Antifouling
Canopy
Comfort floor (EVA), light grey
Double battery system (excl. batteries)
Drawer refrigerator, Waeco CD-30
Fresh water system, 10 L + tap
Radio / Bluetooth, Black Box, 2 loudspeakers
Simrad Cruise 9" + sonar transducer + bracket
Simrad NSX 9" + 3-in-1 + sensor bracket
Table, cockpit
Trim tabs
Water ski pole
Windshield wiper, port side

TEST REPORT

BOAT: BELLA 640 DC ENGINE: 150 XL EFI INSTALL. HEIGHT: 2.
DRIVE AND PROPELLER: 14.5X17" ENERTIA 898994A46 RATIO: 1.92:1
LOAD (PERSONS): 2 AIR TEMP (C°): 0 FRESH WATER TEMP (C°): 8

RPM	Trim°	Speed (kn)	Fuel (l / h)	Fuel (l / nm)
3000	0	17,4	14,1	0,81
3500	1,5	23,0	17,8	0,77
4000	2,5	27,4	24,2	0,88
4500	3,5	31,7	31,1	0,98
5000	4	35,5	37,0	1,04
5500	4	38,9	47,4	1,22
5800	4,5	41,2	54,3	1,32

The figures in test reports are approximate.
It is possible that the propellers used in the tests are not standard propellers.

TECHNICAL SPECIFICATIONS

Length.....	6,58 m
Beam	2,34 m
Weight	1 200 kg + engine
Fuel capacity	135 L
Fresh water capacity	10 L *
Draught.....	0,43 m
Engine options.....	115-150 hp
Berths.....	2+2
Max persons.....	7
CE class	C

*) Optional. The photographs may include optional accessories.
We reserve the right to make changes without prior notice.



BELLA 600 BR

QUALITY IS IN THE DETAILS

Bella 600 BR + Mercury F115 CT XL EFI

Bella 600 BR + Mercury F150 XL EFI



STANDARD EQUIPMENT

12V DC power outlets, 2 pcs
Anchor / rope locker, bow and aft
Bilge pump, manual and electric
Canopy storage
Cockpit cover for harbour use, aft
Cushions, aft
Fender basket, 4 pcs
Fire extinguisher
Fixed fuel tank, 135 L
Hydraulic steering
Mug holders, 6 pcs
Navigation lights
Offshore seats
Option for chartplotter, max 33 cm x 26 cm
Rails and fittings stainless, acid proof steel
Self-draining cockpit
SmartCraft multifunction display
Speed controller for trolling
Storage compartment under deck: 125 cm x 54 cm x 35 cm
Storage space and 12V power plug for cool box
Swim ladder
USB charging, 2 pcs
Windscreen in tempered glass

OPTIONAL EQUIPMENT

Antifouling
Canopy
Cockpit cover for harbour use, bow
Comfort floor (EVA), light grey
Cushions, bow
Extra swim platform + ladder
Simrad NSX 9" + 3-in-1 + sensor bracket
Sunbed, bow
Table, cockpit
Trim tabs
Water ski pole
Windshield wiper, port side
Windshield wiper, starboard

TEST REPORT

BOAT: BELLA 600 BR ENGINE: 150 XL EFI INSTALL. HEIGHT: 2.

DRIVE AND PROPELLER: 14X19" ENERTIA RATIO: 2.38:1

LOAD (PERSONS): 2 AIR TEMP (C°): 2 FRESH WATER TEMP (C°): 3

RPM	Trim°	Speed (kn)	Fuel (l / h)	Fuel (l / nm)
2500	0	11,5	11,5	1,00
3000	0	18,1	13,6	0,75
3500	1	23,2	17,8	0,77
4000	2,5	28,1	25,1	0,89
4500	4	31,8	31,0	0,97
5000	5	36,1	38,5	1,07
5700	6	41,1	54,7	1,33

The figures in test reports are approximate.

It is possible that the propellers used in the tests are not standard propellers.

TECHNICAL SPECIFICATIONS

Length..... 6,05 m
Beam 2,34 m
Weight 1 000 kg + engine
Fuel capacity 135 L
Draught..... 0,42 m
Engine options..... 115–150 hp
Max persons..... 7
CE class C

The photographs may include optional accessories.
We reserve the right to make changes without prior notice.



BELLA 550 BR

MORE THAN MEETS THE EYE

Bella 550 BR + Mercury F100 ELPT EFI

Bella 550 BR + Mercury F115 L EFI



STANDARD EQUIPMENT

12V DC power outlets, 2 pcs
Anchor / rope locker, bow and aft
Bilge pump, electric
Canopy storage
Cockpit cover for harbour use, aft
Cushions, aft
Fender basket, 2 pcs
Fire extinguisher
Fixed fuel tank, 105 L
Hydraulic steering
L-shaped bench, aft
Mug holders, 6 pcs
Multifunctional passenger seat, port side
Navigation lights
Offshore seat for driver
Option for chartplotter, max 40 cm x 21 cm
Rails and fittings stainless, acid proof steel
Self-draining cockpit
SmartCraft multifunction display
Speed controller for trolling
Storage compartment under deck: 130 cm x 50 cm x 30 cm
Storage space and 12V power plug for cool box
Swim ladder
USB charging, 2 pcs
Windscreen in tempered glass

OPTIONAL EQUIPMENT

Antifouling
Canopy
Cockpit cover for harbour use, bow
Comfort floor (EVA), light grey
Cushions, bow, 3 pieces
Simrad Cruise 9" + sonar transducer + bracket
Sunbed, aft, incl. cushion
Table, cockpit, aft
Water ski pole
Windshield wiper, port side
Windshield wiper, starboard

TEST REPORT

BOAT: BELLA 550 BR ENGINE: 115 L EFI INSTALL. HEIGHT: 1.

DRIVE AND PROPELLER: 13.25 X 17" BLACKMAX RATIO: 2.07:1

LOAD (PERSONS): 2 AIR TEMP (C°): 18 FRESH WATER TEMP (C°): 17

RPM	Trim°	Speed (kn)	Fuel (l / h)	Fuel (l / nm)
3000	0	14,6	10,5	0,72
3500	1	20,5	13,8	0,67
4000	2,5	25,0	18,2	0,73
4500	3	28,4	23,2	0,82
5000	4,5	32,0	27,7	0,87
5500	5	35,7	35,6	1,00
6100	4,5	39,2	42,1	1,07

The figures in test reports are approximate.
It is possible that the propellers used in the tests are not standard propellers.

TECHNICAL SPECIFICATIONS


Length.....	5,53 m
Beam	2,15 m
Weight	650 kg + engine
Fuel capacity	105 L
Draught.....	0,40 m
Engine options.....	100-115 hp
Max persons.....	7
CE class	C

The photographs may include optional accessories.
We reserve the right to make changes without prior notice.



BELLA 500 BR BIGGER THAN ITS SIZE

Bella 500 BR + Mercury F80 ELPT EFI



STANDARD EQUIPMENT

12V DC power outlets, 2 pcs
Anchor / rope locker, bow and aft
Bilge pump, electric
Canopy storage
Cushions, aft
Fender basket, 4 pcs
Fire extinguisher
Fixed fuel tank, 72 L
Mug holders, 4 pcs
Navigation lights
NFB cable steering
Offshore seats, incl. covers
Option for chartplotter, max 35 cm x 20 cm
Rails and fittings stainless, acid proof steel
Self-draining cockpit
SmartCraft multifunction display
Speed controller for trolling
Storage compartment under deck: 108 cm x 34 cm x 32 cm
Storage space and 12V power plug for cool box
Swim ladder
USB charging, 2 pcs

OPTIONAL EQUIPMENT

Antifouling
Canopy
Cockpit cover for harbour use, aft
Cockpit cover for harbour use, bow
Comfort floor (EVA), light grey
Cushions, bow, 3 pcs
Simrad Cruise 9" + sonar transducer + bracket
Sunbed, aft, incl. cushions
Water ski pole

TEST REPORT

BOAT: BELLA 500 BR ENGINE: 80 L EFI INSTALL. HEIGHT: 2.

DRIVE AND PROPELLER: 13.25 X 17" BLACK MAX RATIO: 2.07:1

LOAD (PERSONS): 2 AIR TEMP (C°): 2 FRESH WATER TEMP (C°): 8

RPM	Trim°	Speed (kn)	Fuel (l / h)	Fuel (l / nm)
2500	0	9,4	8,1	0,87
3000	0	15,2	10,3	0,67
3500	1	21,2	13,6	0,64
4000	2	26,4	18,2	0,69
4500	3	30,0	20,8	0,69
5000	4	32,9	25,8	0,78
5300	4	34,9	27,9	0,80

The figures in test reports are approximate.

It is possible that the propellers used in the tests are not standard propellers.

TECHNICAL SPECIFICATIONS

Length..... 5,01 m
Beam 2,01 m
Weight 575 kg + engine
Fuel capacity 72 L
Draught..... 0,40 m
Engine option..... 80 hp
Max persons..... 6
CE class C

The photographs may include optional accessories.
We reserve the right to make changes without prior notice.




BELLA 600 R

LET THE DRIVING EXPERIENCE DECIDE

Bella 600 R + Mercury F115 L EFI CT

Bella 600 R + Mercury F150 L EFI



STANDARD EQUIPMENT

Anchor / rope locker, bow and aft
Bilge pump, manual and electric
Cushions, aft
Fender basket, 2 pcs
Fire extinguisher
Fixed fuel tank, 135 L
Hydraulic steering
Mug holder, 4 pcs
Navigation lights
Offshore seats
Option for chartplotter, max 36 cm x 25 cm, 2 pcs
Rails and fittings stainless, acid proof steel
Seat cover, 2 pcs
Self-draining cockpit
SmartCraft multifunction display
Speed controller for trolling
Storage space and 12V power plug for cool box
Swim ladder
USB charging, 2 pcs

OPTIONAL EQUIPMENT

Antifouling
Back seat cover
Comfort floor (EVA), light grey
Console cover
Cover for harbour use, full length
Extra swim platform + ladder
Simrad NSX 9" + 3-in-1 + sensor bracket
Sprayhood
Sunbed, bow, incl. 4 cushions
Trim tabs
Water ski pole

TEST REPORT

BOAT: BELLA 600 R ENGINE: 115 CT L EFI INSTALL. HEIGHT: 2.

DRIVE AND PROPELLER: 14X19" ENERTIA RATIO: 2.38:1

LOAD (PERSONS): 2 AIR TEMP (C°): 5 FRESH WATER TEMP (C°): 5

RPM	Trim°	Speed (kn)	Fuel (l / h)	Fuel (l / nm)
3000	0	11,8	10,6	0,89
3500	1	17,2	13,3	0,77
4000	2	22,1	18,4	0,83
4500	4	27,1	23,5	0,87
5000	5	30,1	32,1	1,07
5500	6	34,0	37,6	1,11
5700	6	35,7	41,0	1,15

The figures in test reports are approximate.
It is possible that the propellers used in the tests are not standard propellers.

TECHNICAL SPECIFICATIONS

Length.....	6,05 m
Beam	2,34 m
Weight	900 kg + engine
Fuel capacity	135 L
Draught.....	0,42 m
Engine options.....	115-150 hp
Max persons.....	7
CE class	C

The photographs may include optional accessories.
We reserve the right to make changes without prior notice.




BELLA 550 R

NIMBLE IN EVERY WAY

Bella 550 R + Mercury F100 ELPT EFI

Bella 550 R + Mercury F115 ELPT EFI



STANDARD EQUIPMENT

12V DC power outlet, 2 pcs
Anchor / rope locker, bow and aft
Bilge pump, electric
Fender basket, 4 pcs
Fire extinguisher
Fixed fuel tank, 105 L
Hydraulic steering
Mug holders, 2 pcs
Navigation lights
Offshore seats, 2 pcs, incl. covers
Option for chartplotter, max 27 cm x 18,5 cm
Rails and fittings stainless, acid proof steel
Self-draining cockpit
SmartCraft multifunction display
Speed controller for trolling
Storage compartment under deck: 160 cm x 50 cm x 40 cm
Swim ladder
USB charging, 1 pc

OPTIONAL EQUIPMENT

Antifouling
Comfort floor (EVA), light grey
Console cover
Cushion + backrest, in front of the steering console
Cushions + backrest, aft
Cushions, bow, 3 pieces
Extra swim platform + ladder
Simrad NSX 9" + 3-in-1 + sensor bracket
Sunbed, aft, incl. cushion
Water ski pole

TEST REPORT

BOAT: BELLA 550 R ENGINE: F100 INSTALL. HEIGHT: 2

DRIVE AND PROPELLER: BLACK MAX 13.3 X 17, ALUMINIUM RATIO: 2.07:1

LOAD (PERSONS): 2 AIR TEMP (C°): 14 FRESH WATER TEMP (C°): –

RPM	Average kn	Fuel average (l / h)	Fuel (l / nm)
3000	14,5	11,1	0,8
3250	17,8	11,5	0,6
3500	20,3	13,4	0,7
4000	25,0	17,7	0,7
4500	28,8	22,6	0,8
5000	32,0	27,5	0,9
5500	34,5	32,4	0,9

The figures in test reports are approximate.

It is possible that the propellers used in the tests are not standard propellers.

TECHNICAL SPECIFICATIONS

Length.....	5,53 m
Beam	2,15 m
Weight.....	650 kg + engine
Fuel capacity	105 L
Draught.....	0,40 m
Engine options.....	100-115 hp
Max persons.....	7
CE class	C


The photographs may include optional accessories.
We reserve the right to make changes without prior notice.



BELLA 485 R

COMPACT CONVENIENCE

Bella 485 R + Mercury F60 LPT EFI



STANDARD EQUIPMENT

12V DC power outlet
Anchor / rope locker, bow
Cushions
Driver's seat, wide, multifunctional
Fender basket, 4 pcs
Fire extinguisher
Mug holders
Navigation lights
NFB cable steering
Option for chartplotter, max 26 cm x 13.5 cm
Picnic table
Rails and fittings stainless, acid proof steel
Seat cover, 1 pc
Self-draining cockpit
SmartCraft multifunction display
Speed controller for trolling
Swim ladder

OPTIONAL EQUIPMENT

Antifouling
Cockpit cover for harbour use
Cover for steering console

TEST REPORT

BOAT: BELLA 485 R ENGINE: 60 EFI INSTALL. HEIGHT: 2.

DRIVE AND PROPELLER: 15" SPITFIRE (ALU) RATIO: 2.33:1

LOAD (PERSONS): 2 AIR TEMP (C°): 27 FRESH WATER TEMP (C°): 24

RPM	Average kn	Fuel average (l / h)	Fuel (l / nm)
2500	6,2	4,5	0,72
3000	10,3	6,3	0,61
3500	16,7	7,3	0,44
4000	21,1	9,2	0,44
4500	24,3	11,1	0,46
5000	26,9	13,5	0,50
5500	30,5	16,4	0,54
5900	32,9	19,0	0,58

The figures in test reports are approximate.

It is possible that the propellers used in the tests are not standard propellers.

TECHNICAL SPECIFICATIONS

Length.....	4,90 m
Beam	2,00 m
Weight	470 kg + engine
Fuel capacity	25 L
Draught.....	0,38 m
Engine option.....	60 hp
Max persons.....	6
CE class	C

The photographs may include optional accessories.
We reserve the right to make changes without prior notice.



BELLA
EST. 1970

BELLA-VENEET OY | VÄLIKÖNTIE 10, 70700 KUOPIO, FINLAND | TEL. +358 17 288 3800 | WWW.BELLABOATS.FI
PART OF NIMBUS GROUP

Optional accessories may appear in the photos of the brochure. We reserve the right to printing errors and equipment changes and delivery delays.
Installation, locality-specific delivery and VAT costs are added to package prices.

© COPYRIGHT 2024 BELLA-VENEET OY.

